

L

INDEX MAPS.

T.7N R.7W 2nd Mer.

	82		82		82-83		81-83		81-83		81-83	
85	6	103	5	98	4	95	3	92	2	89	1	81
	103		103		98		95		92		88	
85	7	103	8	98	9	95	10	92	11	88	12	80
	102		102		97		94		91		88	
85	18	102	17	97	16	94	15	91	14	88	13	80
	101		101		97		94		91		87	
84	19	101	20	96	21	93	22	90	23	87	24	80
	100		100		96		93		90		87	
84	30	99	29	96	28	93	27	90	26	86	25	80
	99		99		96		93		89		86	
84	31	99	32	96	33	92	34	89	35	86	36	79
	77-78		77-78		77-78		77-78		77-79		77-79	

T.8N R.7W 2nd Mer.

	110		110		109-111		109-111		109-111		109-111	
113	6	131	5	126	4	123	3	120	2	116	1	109
	131		130		125		122		119		116	
113	7	130	8	125	9	122	10	119	11	116	12	108
	130		129		125		122		119		115	
113	18	129	17	125	16	122	15	118	14	115	13	108
	129		128		124		121		118		115	
112	19	128	20	124	21	121	22	118	23	115	24	108
	128		127		124		121		117		114	
112	30	127	29	123	28	120	27	117	26	114	25	108
	127		126		123		120		117		114	
112	31	126	32	123	33	120	34	116	35	114	36	108
	106		106		105-107		105-107		105-107		105-107	

The figures on the lines refer to the page.

Township No 7 North of Range No 7 West of the 3rd Mer. Indiana
Ch. 11.

South Boundary

West On a Random line On the South Boundary of sec. 36.
T. 7. N. R. 7 W.

40.00 Set a 1/4 sec. post

80.00 Set a 1/4 sec. post for the cor. of sec. 35 & 36. on the East
side of Prairie

West On a Random line On the South Boundary of sec. 35
T. 7. N. R. 7 W.

40.00 Set a 1/4 sec. post

80.00 Set a 1/4 sec. post for the cor. of sec. 34 & 35. on the West
side of Prairie

West On a Random line On the South Boundary of sec. 34.
T. 7. N. R. 7 W.

40.00 Set the 1/4 sec. post on the East side of 11th Spr.

80.00 Set a 1/4 sec. post for the cor. of sec. 33 & 34

West On a Random line On the South Boundary of sec. 33
T. 7. N. R. 7 W.

40.00 Set a 1/4 sec. post.

80.00 Set a " post for the cor. of sec. 32 & 33 on the West
side of Prairie

West On a Random line On the South Boundary of sec. 32
T. 7. N. R. 7 W.

40.00 Set a 1/4 sec. post

80.00 Set a " post for the cor. of sec. 31 & 32
South White Oak Creek.

West On a Random line On the South Boundary of sec. 31.
T. 7. N. R. 7 W. through a large plain.

40.00 Set a 1/4 sec. post in plain

T. N. of N.R. N. of W. 2nd Mer. Land.

60.00 To a Road Corner. T. N.

78.50 Set 200 links North of Harris's cor. to T. 6. 57. N.
R. 3 74877. The post stands in the plains.
April 21st.

East On the true line On the South Boundary of sec. 31.

T. 7. N.R. 77. Corrected & marked the line

38.50 Set the temp. 1/4 in. post on the true line in the plains
No timber78.50 Set the temp. 1/4 post on the true line for the cor. of sec. 31 & 32.
from which a Hick 14 in. dia. trees. N 71 E. 18 links dist.
and a B Oak. 24 " " " N 22 W. 61 " "

East On the true line On the South Boundary of sec. 32.

T. 7. N.R. 77.

40.00 Set the temp. 1/4 in. post on the true line from which a
Hick 12 in. dia. trees. N 6 E. 16 links dist.; and a
" 12 " " " N 62 E. 29. "80.00 Set a post for the cor. of sec. 32 & 33 on the true line from
which a B Oak 24 in. dia. trees. N 33 W. 87 links dist.
& an Elm. 14 " " " N 45 W. 75 " "

East On the true line On the South Boundary of sec. 33.

T. 7. N.R. 77

40.00 Set the temp. 1/4 in. post on the true line from which a
B Oak. 18 in. dia. trees. N 80 W. 18 links dist.; & an
ash 10 " " " N 76 E. 26 " "80.00 Set a post (temp. 1/4) on the true line for the cor. of sec. 33 & 34
in the prairie

East On the true line On the South Boundary of sec. 34.

T. 7. N.R. 77

40.00 Set the temp. 1/4 in. post on the true line from which a

T. N. of N. R. No 7 W 2nd Mer. Ind. 79

Ash. 12 in. dia. trees. N 22 W. 10 links each; & age
Edge 12 " " " S 8 E. 13 " "
80.00 Set the trip 1/4 post on the true line for the cor of sec. 34 & 35
from which, Hickory 10 in. dia. trees. S 81 E. 46 links each
made a W Oak. 30 " " " N 89 W. 70 " "

East On the true line On the South Boundary of sec. 35.
T. 7 N. R. 7 W.

40.00 Set the trip 1/4 post in a prairie; also timber.

80.00 Set the " post for the true line for the cor of sec. 35 & 36.
from which, W Oak. 24 in. dia. trees. N 22 W. 45 links each
made a Hickory 12 " " " S 70 E. 41 " "

East On the true line On the South Boundary of sec. 36.
T. 7 N. R. 7 W.

40.00 Set the trip 1/4 post on the true line from which
a W Oak. 18 in. dia. trees. S 8 E. 75 links each;
& another timber near.

80.00 Intersect the Random line at Trip 1/4 post for the cor of
T. 6 & 7 N. R. 6 & 7 W and established the cor. from which
a Hickory 10 in. dia. trees. N 65 W. 8 links each; &
H. 12 " " " N 72 E. 28 " "

East Boundary

North On the East Boundary of sec. 36. T. 7 N. R. 7 W.

20.00 To an Ash. 14 in. dia. in the line. Close on the West
side of large Swamp.

40.00 Set the 1/4 post from which
a Hickory 10 in. dia. trees. S 28 E. 36 links each; &
" Gum. 12 " " " N 74 W. 27 " "

80.00 Set a post in the E. edge of a Swamp for the cor of sec.
25 & 36 from which,
W Oak. 24 in. dia. trees. S 31 W. 69 links each; & a

T. N. 7. N.R. N. 7 W. 9th (Mn. Ind.?)

Heik 12 in. dia. trees N 59 W. 28 links dist;
Good Oak land. Kept close on the West side of a
large Swamp.

North On the East Boundary of T. 25. T. 7. N.R. 7 W.
We could get no farther north on account of Swamp.
Run West 20.00 then North 35.00 to Swamp then
West 5.00 do then North 15.00 do to Swamp. then
West 8.00 do then " 45.00 do then East 33.00.
We are now in our line and 15 Ch. on the East. (Mn. Ind.)
C. of T. 24. T. 7. N.R. 7 W.

North Confirmed the East Boundary of T. 24.

40.00 Got a 7th report from which,
Heik 16 in. dia. trees. S 35 E 59 links dist; &
No. 12 " " N 22 W 47 " "
Lump barrens

80.00 Got a report for the cor. of T. 23 & 24. from which,
Heik 14 in. dia. trees. S 48 E 127 links dist;
No other timber near. Past in barrens.

North On the East Boundary of T. 13. T. 7. N.R. 7 W.
Barrens.

40.00 Got a 7th report from which,
W Oak 18 in. dia. trees. S 17 W 450 links dist;
No other timber near.

60.00 Entered a large plain and continued in it to the end of
the Township.

80.00 Got a report for the cor. of T. 12 & 13. T. 7. N.R. 7 W.
No timber

North On the East Boundary of T. 12. T. 7. N.R. 7 W.

16.00 Good Brook. 25 links dist. Corner S. E.

40.00 Got a 7th report; No timber

T. N. 7. N.R. N. 7 W. 2nd Mer. Ind.

80.00 Strip for the cor. of sec. 1. & 12. T. 7. N.R. 7 W.
April 25. 1811.

North On the East Boundary of sec. 1. T. 7. N.R. 7 W.

40.00 Set a $\frac{1}{4}$ cu. post; no timber

80.75 Fell 250 links West of Temp. post and set a post
for the cor. of Towns 7. & 8. N.R. 6 & 7. W. from which,
Heights 10 m. are born. East. 2200 links dist

North Boundary

West On a Random line On the South Boundary of sec. 36.
T. 8. N.R. 7 W.

40.00 Set a temp. $\frac{1}{4}$ cu. post. in the West side of the plain

80.00 Set a temp. post for the cor. of sec. 35 & 36.
Grass Oak land.

West On a Random line On the South Boundary of sec. 35.
T. 8. N.R. 7 W.

15.00 To a Brook 10 links wide, Corner S.E.

40.00 Set a temp. $\frac{1}{4}$ cu. post.

55.00 To a Brook 3 links wide, Corner S.

80.00 Set a temp. post for the cor. of sec. 34 & 35.

Grass burrs with a few scattering Oak & Hickories

West On a Random line On the South Boundary of sec. 34.
T. 8. N.R. 7 W.

40.00 Set a temp. $\frac{1}{4}$ cu. post.

55.00 To a Brook 4 links wide, Corner S.

62.00 " " " " " " S.E.

80.00 Set a post-temp. for the cor. of sec. 33 & 34.

A continuation of burr land interspersed with Oak
& Hickories.

T. N. 7. S. R. N. 7 W. 2nd Mer. Ind.

West On Random line On the South Boundary of sec. 33.
T. N. 8 S. R. 7 W.
40.00 Set a temp. 7/4 sap post.
70.00 Long Brook 4 links mid. Curve S.
80.00 Set a temp. 1/4 post for the cor. of sec. 32 & 33.
A continuation of barren land. Interspersed with
Oak & Hick.

West On Random line On the South Boundary of sec. 32.
40.00 Set the temp. 7/4 sap post.
80.00 Set a " post for the cor. of sec. 31 & 32.
A continuation of barren land; interspersed with Oak,
Hick.

West On Random line On the South Boundary of sec. 31.
T. 8 S. R. 7 W.
35.00 Long Brook 3 links mid. Curve S.
40.00 Set a temp. 7/4 sap post.
79.50 Fill 14 ch. South of Harris's Cor. to T. 8 S. R. 7 W.
7 & 8 W. Good Oak land.

East On the true line On the South Boundary of sec. 31.
T. 8 S. R. 7 W. corrected and marked the true East.
39.50 Set the temp. 7/4 sap post on the true line from which
a Hick 10 in dia. bears N 44 E 46 links dist; &
" 93 Oak 10 " " " S 71 W 44 " "
79.50 Set the temp. 1/4 on the true line for the cor. of sec. 31 & 32 from
which a 93 Oak 30 in. dia. bears N 70 W 55 links dist;
& a Hick 14 " " " North 40 " "

East On the true line On the South Boundary of sec. 32.
T. 8 S. R. 7 W.
40.00 Set the temp. 7/4 sap post on the true line from which a

83

T. No 7. N.R. N. of W. and N. and S. and E.

Heik 12 in. diam. trees. N 77 E. 12 miles dist; 8
 W Oak. 18 " " " " N 69 W 55 " "
 80.00 Set the temporary post on the true line for the cor. of sec. 32 & 33.
 From which a Heik 10 in. diam. trees. N 41 W. 62
 No other timber

East On the true line On the South Boundary of sec. 33.
 T. 8. N.R. 7 W.

40.00 Set the temporary 1/4 sec post on the true line.
 80.00 " " " " Post on the true line for the cor. of sec. 33 & 34
 From which, W Oak. 30 in. diam. trees. S 43 W. 48 the dist
 No other timber near.

East On the true line On the South Boundary of sec. 34.
 T. 8. N.R. 7 W.

40.00 Set the temporary 1/4 sec post on the true line from which a
 Heik 16 in. diam. trees. S 37 E. 45 miles dist;
 No other timber near.
 80.00 Set the temporary post on the true line for the cor. of sec. 34 & 35.
 From which, W Oak. 30 in. diam. trees. N 6 E. 1.70 & a
 Heik 8 " " " " N 72 E. 44 the dist

East On the true line On the South Boundary of sec. 35.
 T. 8. N.R. 7 W.

40.00 Set the temporary 1/4 sec post on the true line from which a
 Heik 16 in. diam. trees N 78 W. 47 miles dist; 8
 W Oak. 6 " " " " S 21 E 64 " "
 80.00 Set the temporary post on the true line for the cor. of sec. 35 & 36
 From which, W Oak. 18 in. diam. trees. N 70 W. 57 the dist,
 and a W Oak. 16 " " " " N 41 E. 47 " "

East On the true line On the South Boundary of sec. 36.
 T. 8. N.R. 7 W.

T. No 7. N.R. No 1 of 11 Dec. Mon. Ind.

40.00 Set a 7th suppost from which,
 1 Oak. 14 in. dia: trees. S 72 W. 77 1/2 miles north; 1/2
 No. 10 " " " N 28 E. 102 " "
 65.00 Crossed the prairie
 80.00 Set a post for the cor of sec. 13 & 24 from which,
 11 Oak. 13 in. dia: trees. S 29 W. 16 1/2 miles north; 1/2
 No. 13 " " " S 21 W. 15 " "
 Some part rolling independent land; Timber Oak & Hickory
 2nd rate; part prairie, not 3rd rate.

North On the East Boundary of sec. 13. T. 7. N.R. 8 W.
 14.74 To a Hickory 14 in. dia: stands on the line.
 18.00 Enter a prairie
 40.00 Set the 7th suppost in a prairie; no bearing trees.
 58.20 To a 11 Oak. 9 in. dia: crossed the prairie
 80.00 Set a post for the cor of sec. 13 & 23 from which,
 Hickory 11 in. dia: trees. S 60 W. 35 1/2 miles north; 1/2
 No. 9 " " " N 19 W. 28 " "
 Some low timber Oak & Hickory, middling good
 farming land; Good for wheat. The prairie rather
 not independent.

North On the East Boundary of sec. 12. T. 7. N.R. 8 W.
 40.00 Set a 7th suppost from which,
 11 Oak. 18 in. dia: trees. S 50 E. 40 1/2 miles north; 1/2
 13 Oak. 27 " " " N 5 W. 80 " "
 80.00 Set a post for the cor of sec. 12 & 22 from which,
 13 Oak. 30 in. dia: trees. S 57 W. 46 1/2 miles north; 1/2
 No. 15 " " " N 63 E. 51 " "
 Land rolling timber Oak & Hickory Bushy good
 wheat land.

North On the East Boundary of sec. 1 T. 7. N.R. 8 W.

T. N. 7. N.R. N. 7 W. 2nd Mer. Ind?

40.00 Set a 1/4 capost from which
W Oak. 8 in. diam. bears S 12 E 14 links dish; & a

78.00 Mark 18 " " " N 58 W 31 " "
Set a small bridge " " " " " "
94.59 Set a post for the cor of S. 708 N.R. 708 W from which

W Oak. 24 in. diam. bears N 68 W. 66 links dish; & a

Leg 114 " " " S 29 W 30 " "

Same same and rather getting

Surveyed by

William Harris Esq.

Subdivisions

North Return Sur. 35 & 36. T. 7 N.R. 7 W

40.00 Set a 1/4 capost from which
Mark 12 in. diam. bears South 43 links dish; & a
W Oak. 18 " " " N 60 W 49. "

80.00 Set a post for the cor of Sur 25, 26. 35 & 36 from which,
W Oak. 12 in. diam. bears S. 24 E. 50 links dish; & a
B Oak. 20 " " " N 35 E 38 " "
Same but Timber Oak & Mark.

East Only Random line between Sur. 25 & 36. T. 7 N.R. 7 W.

40.00 Set a temp 1/4 capost.

80.18 Interset the East Boundary 18 links South of the post,
cor. of Sur. 25 & 36.
Same as last mile.

West Only the line between Sur. 25 & 36. T. 7 N.R. 7 W

40.09 Set the temp 1/4 capost at av. dist with the line from
which W Oak. 29 in. diam. bears N 52 E 50 links dish
and. No. 30 " " " N 64 W 50 " "

80.18 To the cor of Sur. 25, 26. 35 & 36.

North Return Sur. 25 & 26. T. 7 N.R. 7 W.

87

D. No. 7. N.R. No. 7. 2nd Mer. Ind.

40.00 Set a post from which
 Hick 12 in. diam. trees 10 E. 55 miles each; Va
 No. 10 " " " 1887 N. 38 " "

65.00 To prairie

80.00 Set a post for the cor. of lat. 23, 24, 25 & 26. in prairie

Oak Between Lat. 24 & 25 T. 7. N.R. 7. W. On Random.

30.00 To timbered land.

40.00 Set a temp. 7/4 E. post

45.00 To a Brook 18 miles wide, comes S.E.

53.00 To Park covered with brush.

80.12 Intersect the N. 3 line 18 miles South of the post cor. of
 Lat. 24 & 25. East Boundary

West On the true line between Lat. 24 & 25 T. 7. N.R. 7. W.

40.06 Set the temp. 7/4 E. post at an dish on the true line from which,
 N Oak 12 in. diam. trees East. 55 miles each;

80.12 To the post cor. of lat. 23, 24, 25 & 26.

North Between Lat. 23 & 24 T. 7. N.R. 7. W.

15.00 Some timber

22.00 To a Water comes 5 miles wide, comes S.E.

28.00 To prairie

40.00 Set a 7/4 E. post.

57.50 To a Brook 12 miles wide, comes S.E.

80.00 Set a post for the cor. of lat. 13, 14, 23 & 24 in a prairie

East On a Random line between Lat. 23 & 24. T. 7. N.R. 7. W.

40.00 Set a temp. 7/4 E. post.

65.00 To Barrens.

80.30 Intersect the East Boundary 22 miles South of the
 post cor. of lat. 13 & 24

T. N. of N.R. No 7 W. 2nd Mer. Ind.

West On a line between Sec 13 & 24. T. 7 N. R. 7 W.
 40.15 Set the trumpet 1/4 sec post at an arch on the line in
 Prairie
 80.30 To the post cor of sec. 13 & 24 23 & 24.

North Return Sec 13 & 14. T. 7 N. R. 7 W.
 40.00 Set a 1/4 sec post.
 60.00 To timber.
 80.00 Set a post for the cor. of sec. 11, 12, 13 & 14 from which,
 Keokuk 10 in. dia. brass. North 39 links dish; &
 10. 10. " " N 49 E 46. "
 Same side and timber same.

East On a Random line between Sec 12 & 13. T. 7 N. R. 7 W.
 40.00 Set. (a trumpet 1/4 sec post)
 65.00 To prairie.
 80.30 Enter at the East Boundary 42 links South of the post
 cor of sec. 12 & 13.
 Same side and timber same.

West On a line between Sec 12 & 13. T. 7 N. R. 7 W.
 40.15 Set the trumpet 1/4 sec post at the arch on the line
 from which, W Oak. 20 in. dia. brass. East 10 links dish
 80.30 To the post cor of sec. 11, 12, 13 & 14.

North Return Sec 11 & 12. T. 7 N. R. 7 W.
 40.00 Set a 1/4 sec post from which,
 Keokuk 12 in. dia. brass. N 4 E 104 links dish;
 80.00 Set a post for the cor of sec. 10, 11 & 12 from which,
 W Oak. 12 in. dia. brass. N 43 W. 130 links dish;
 Same side and timber same.

East On a Random line between Sec 1 & 12. T. 7 N. R. 7 W.

89

T. N. & A. R. N. of W. D. & M. Ind.

5.00 To a Brook. 12 miles wide, comes. S.E.
 8.00 To a Prairie
 40.00 Set a trap 1/4 mi. S. post.
 80.40 Set out the East Boundary 73 miles South of
 the first cor. of Sec. 1 & 12.
 Lands same as last mile.

West On the true line between Sec. 1 & 12 T. 7. N. R. 7 W.
 40.20 Set the trap 1/4 mi. S. post at av. dist. with the true line.
 80.40 To the first cor. of Sec. 1 & 12. 11. 412

North Return Sec. 1 & 12 T. 7. N. R. 7 W.
 5.50 To a Brook. 12 miles wide, comes. S.E.
 40.00 Set a 1/4 mi. S. post from which
 W Oak. 20 in. diam. bears N 87 E. 125 links dist;
 83.42 Set out the N. Boundary 98 miles West of the first cor. of
 Sec. 35 & 36. T. 8 N. R. 7 W. can be set a post for the cor.
 of 1. & 12 from which
 W Oak. 20 in. diam. bears N 87 E. 20 links dist; & a
 10 " 18 " " " S 16 N. 15 " "
 Lands like and timber same. July 21. 1814.

North Return Sec. 34 & 35. T. 7. N. R. 7 W.
 39.00 To a Brook. 10 miles wide, comes. S.W.
 40.00 Set a 1/4 mi. S. post from which
 W Oak. 12 in. diam. bears North 48 links dist;
 80.00 Set a post for the cor. of Sec. 26. 27. 34 & 35 from which.
 a. W Oak. 20 in. diam. bears S 85 N. 23 links dist; &
 " Do. 18 " " " N 6 N. 33 " "
 Land here is timber Oak & S.

East On a Random line Between Sec. 26 & 35 T. 7. N. R. 7 W.
 40.00 Set the trap 1/4 mi. S. post

T. N. 7th N.R. N. 7th W. 2nd Mer. Ind.

80.00 Intersect the NTS line 25 miles South of the post cor of
 Sec 25, 26, 35 & 36
 Same as last mile.

West On the line between Sec 26 & 35. T. 7. N.R. 7 W.
 40.00 Set the temp. 7th post at an arch on the line from
 which N Oak. 12 in. dia. trees. N 53 E 31 links arch; &
 S. 10. 20 " " " S 85 W. 20 " "
 80.00 To the post cor of Sec 26, 27, 34 & 35.

North Return Sec 26 & 27 T. 7. N.R. 7 W.
 40.00 Set a 7th post from which a
 New Oak 10 in. dia. trees. S 85 E. 14 links arch; &
 S. 10. 10 " " " S 37 W. 23 " "
 80.00 Set a post for the cor. of Sec 22, 23, 26 & 27 from which a
 N Oak. 30 in. dia. trees. N 63 E. 18 links arch; &
 S. 10. 20 " " " S 63 E. 21 " "
 Same as last mile.

East On a line between Sec 23 & 26. T. 7. N.R. 7 W.
 40.00 Set a temp. 7th post
 65.00 To Prairie
 80.00 Intersect the NTS line 20 miles South of the post cor of
 Sec 23, 24, 25 & 26.
 Same as last mile.

West On the line between Sec 23 & 26 T. 7. N.R. 7 W.
 40.00 Set the temp. 7th post at an arch on the line from which
 a Hick 12 in. dia. trees. N 57 W. 22 links arch; &
 S. 10. 10 " " " S 78 E. 20 " "
 80.00 To the post cor of Sec 22, 23, 26 & 27.

North Return Sec 22 & 23. T. 7. N.R. 7 W.

91

T. N. F. M. R. S. F. W. and Mrs. J. W. S.

20.00	To Prairie
40.00	Set a trap 1/4 to post.
80.00	Set a post for the cor of lot 14. & 22 & 23. in prairie
East	On a Random line between lot 14 & 23. T. F. M. R. S. F. W.
40.00	Set a trap 1/4 to post.
63.00	To a Rock 12 miles NW, corner S. E.
80.00	Intersect the N & S line 18 miles South of the post cor of lot 13 14. 23 & 24. Land is low.
West	On the true line between lot 14 & 23. T. F. M. R. S. F. W.
40.00	Set the trap 1/4 to post at the cor. ditch on the true line.
80.00	To the post cor. of lot 14-15. 22 & 23.
North	Between lot 14 & 15 T. F. M. R. S. F. W.
20.00	Surveyed across some timber
40.00	Set a trap 1/4 to post No timber on it.
80.00	Set a post for the cor. of lot 10 11. 14 & 15 from which a W. Oak. 20 in. diam. line. N 52 W. 46 miles N. E. & S. N. 24 " " " " S 84 W. 16 " " " Land very bushy
East	On a Random line between lot 11 & 14. T. F. M. R. S. F. W.
40.00	Set a trap 1/4 to post.
80.20	Intersect the N & S line 12 miles South of the cor. of lot 11. 13 & 14 Land is low; thin soil; timber some.
West	On the true line Between lot 11 & 14. T. F. M. R. S. F. W.
40.10	Set the trap 1/4 to post at cor. ditch on the true line from a W. Oak. 20 in. diam. line. N 88 W. 15 miles N. E. & S.
80.20	To the post cor of lot 10. 11. 14 & 15.

T. N. 7. N. R. No. 7 N. 2nd Mer. Ind.

North Return Sur. 10 & 11. T. 7. N. R. 7 W.
 40.00 Set a 7th report. No timber sight
 80.00 Set a post for the cor of sec. 2, 3, 10 & 11. in the barrens.
 No timber sight Land is hilly and very brushy

East Can Random line between Sur. 2 & 11. T. 7. N. R. 7 W.
 40.00 Set a temp. 7th report
 80.26 Enter at the N & S line 12 miles South of the Post cor of
 Sur. 1, 2, 11 & 12.
 Land is rolling and very brushy.

West Angle line between Sur. 2 & 11. T. 7. N. R. 7 W.
 40.13 Set the temp. 7th report at the cor. dash on the line from
 which the N Oak. - in. dist. from. S 86 E 70 bushy with
 80.26 Set the Post cor of sec. 2, 3, 10 & 11.

North Return Sur. 2 & 3. T. 7. N. R. 7 W.
 40.00 Set a 7th report from which a
 N Oak. 7 in. dist. from. N 68 W 55 bushy with; & a
 Do. 5 " " " S 52 E 32 " "
 55.00 Top Brook. 12 miles from, Come Co.
 86.50 Enter at the N. B. Run N. 7. 94 miles West of the Post cor of
 Sur. 34 & 35. T. 8. N. R. 7 W. made set a post for the cor of
 Sur. 2 & 3 from which a
 N. Oak. 5 in. dist. from S 71 W. 40 bushy with;
 Same as the same. July 22. 1814.

North Return Sur. 33 & 34. T. 7. N. R. 7 W.
 40.00 On an Offset with East.
 80.00 Set a post for the cor of sec. 27, 28, 33 & 34 from which a
 Elm. 12 in. dist. from. N 52 E 12 bushy with; & a
 N. Oak. 7 " " " N 61 W 13 " "
 Land is not made for a post.

East	On a Random line between Sec 27 & 34 T. 7. N. R. 7 W.
40.00	Get a trap 1/4 to post
80.15	Intersect the N & S line 12 miles South of the post or of sec. 26, 27, 34 & 35. Same as last mile.
West	On the true line between Sec. 27 & 34 T. 7. N. R. 7 W.
40.077	Get the trap 1/4 to post or on ditch on the true line from which, N. Oak 8 in. diam. bears N 75 E. 25 miles and
80.15	To the post or of sec. 27, 28, 33 & 34.
North	Between Sec. 27 & 28 T. 7. N. R. 7 W.
40.00	Get a 1/4 to post
80.00	Get a post for the ar. of sec. 21, 22, 27 & 28. From which, Hick 110 in. diam. bears S 65 W. 26 miles and; & a Young 8 " " " N 81 W. 30 " " Same hole; Timber Oak & Hick.
East	On a Random line between Sec. 22 & 27 T. 7. N. R. 7 W.
40.00	Get a trap 1/4 to post
80.00	Intersect the N & S line 12 miles South of the post or of sec. 22, 23, 26 & 27. Same as last and timber same as last mile.
West	On the true line between Sec. 22 & 27 T. 7. N. R. 7 W.
40.00	Get the trap 1/4 to post or on ditch on the true line from which, N. Oak 18 in. diam. bears S 10 W. 42 miles and and a " 10 in. 15 " " " N 88 E. 33 " "
80.00	To the post or of sec. 21, 22, 27 & 28.
North	Between Sec. 21 & 22 T. 7. N. R. 7 W.
40.00	Get a 1/4 to post from which N. Oak 30 in. diam. bears S 25 E. 78 miles and; & a

T. N. 7. N. R. N. 7 W. 2nd Mer. Ind.?

80.00 43 Oak 18 in. diam. trees. N 66 E. 61 units north;
 Set a post for the cor of sec. 15, 16, 21, & 22 from which,
 W Oak 12 in. diam. trees. N 11 W. 24 units north; &
 Co. 20 " " " S 38 E. 30 " "
 Same same as last time.

East On a Ran. am line between Sec 15 & 22 T. 7. N. R. 7 W.
 40.00 Set a trip. 7 in. post
 55.00 To Prairie
 80.28 Enter at the N & S line 25 units South of the post cor of
 Sec. 14, 15, 22 & 23
 Same the same.

West On the line line between Sec 15 & 22, T. 7. N. R. 7 W.
 40.14 Set the trip. 7 in. post at ar. dist. on the line from
 which a Hick 12 in. diam. trees. S 63 W. 32 units north; &
 Co. 10 " " " N 12 W. 63 " "
 80.28 To the post cor of sec. 15, 16, 21, & 22.

North Between Sec 15 & 16, T. 7. N. R. 7 W.
 14.25 To a P. Oak 20 in. diam. in the line.
 40.00 Set a 7 in. post from which,
 W Oak 24 in. diam. trees. S 28 E. 43 units north; &
 Co. 20 " " " S 48 W. 66 " "
 80.00 Set a post for the cor of sec. 9, 10, 15 & 16 from which,
 W Oak 20 in. diam. trees. N 29 W. 26 units north; &
 Co. 24 " " " N 58 W. 52 " "
 Same same. as last time.

East On a Ran. am line between Sec 10 & 15 T. 7. N. R. 7 W.
 40.00 Set a trip. 7 in. post
 80.00 Enter at the N & S line 30 units North of the post cor of
 Sec. 10, 11, 14 & 15. Same the same.

I. No 7. N.R. No 7 W. 2nd (Mr. Lord) 95

West Out the line between Sec 10 & 15 T. 7. N.R. 7 W.
 40.00 Set the temporary 1/4 section at an arch on the line from
 which, Height 10 in. clear. 832 W. 33 links north;
 and 10 " " " 84 E. 6 " "
 80.00 To the post on of Sec 9, 10, 15 & 16.

North Return Sec 10 & 9 T. 7. N.R. 7 W.
 110.00 Set a 1/4 section from which,
 W. 12 in. clear. 854 E. 22 links north; &
 13. 24 " " " 144 E. 34 " "
 80.00 Set a post for the cor. of Sec 3, 4, 9 & 10 from which,
 W. 20 in. clear. 85 E. 30 links north, &
 Height 10 " " " 144 W. 4 " "
 Sun de rolling; & set this; Very brushy; Sun in
 Oak & Hickory

East On a Random line between Sec 3 & 10 T. 7. N.R. 7 W.
 40.00 Set a temporary 1/4 section
 80.00 Set out the N. & S. line 10 links South of the post cor.
 of Sec 2, 3, 10 & 11.
 Set this & very brushy.

West Out the line between Sec 3 & 10 T. 7. N.R. 7 W.
 40.00 Set the temporary 1/4 section at an arch on the line
 80.00 To the post on of Sec 3, 4, 9 & 10.

North Return Sec 3 & 4 T. 7. N.R. 7 W.
 40.00 Set a 1/4 section from which,
 Height 18 in. clear. N. 87 E. 31 links north; &
 W. 12 " " " 8 E. 55 " "
 89.00 Set out the N. & S. line 10 links West of the post on of
 Sec 33 & 34 T. 8 N.R. 7 W. and set a post for the cor. of
 Sec 3 & 4 from which,

T. N. 7. N. R. N. 7 W. 2nd Mer. Ind.

Heik 12 in. clear trees. N 81 E. 62 links north;
 Sunde the same. Feb. 23. 1814.

North	Return Sur 32 & 33. T. 7. N. R. 7 W.
40.00	Get a $\frac{1}{4}$ sq post in a Swamp.
80.00	Get a post for the cor of Sur. 28, 29, 32 & 33. from which 93 Oak 6 in. clear trees. N 11 W. 39 links north; V a 10. 6 " " " S 70 E 9 " " In the Swamp.
East	Cap Ransom line between Sur 28 & 33 T. 7. N. R. 7 W.
40.00	Get a $\frac{1}{4}$ sq post in the Swamp.
79.00	To the East side of the Swamp
80.05	Inter cut the N & S line 18 links South of the post cor of Sur. 27, 28, 33 & 34 This line was not corrected.
North	Return Sur. 28 & 29 T. 7. N. R. 7 W.
40.00	Get a $\frac{1}{4}$ sq post in a prairie at the North side of Swamp
80.00	Get a post for the cor of Sur. 20, 21, 28 & 29. in the prairie.
East	Cap Ransom line between Sur 21 & 28. T. 7. N. R. 7 W.
40.00	Get a $\frac{1}{4}$ sq post for the cor of $\frac{1}{4}$ sq.
60.00	To timbered land.
80.00	Inter cut the N & S line 18 links South of the post cor of Sur. 27, 28, 21 & 22 Sunde hole; Timber Oak & Hickory
West	Cap Ransom line between Sur 21 & 28. T. 7. N. R. 7 W.
40.00	Get the $\frac{1}{4}$ sq post at the cor. with in the true line.
80.00	To the post cor of Sur. 20, 21, 28 & 29.
North	Return Sur. 20 & 21. T. 7. N. R. 7 W.

40.00 Set the 4th to post. in the prairie
 50.00 To timbered land.
 80.00 Set a post for the cor of sec. 16. 17. 20. & 21. from which
 a 93 Oak. 20 in. diam. bears N 19 E. 32 hanks dist
 & a 77 Oak. 19 1/2 " " N 19 W. 10 " "
 Same a little better; Timber Oak & Hawth.

East On a random line between Sec. 16 & 21. T. N. J. N. R. 7th.
 40.00 Set the trip. post 7th to post.
 50.00 To prairie
 75.00 To timbered land.
 80.20 Enter cut the N & S line 20 miles South of the post cor.
 of sec. 15, 16, 21 & 22
 Same the same as last mile.

West Return Sec. 16 & 21. T. N. J. N. R. 7th. On the line.
 40.10 Set the trip. post 7th to post at cor. dist from which a
 93 Oak. 10 in. diam. bears S 70 E. 30 hanks dist;
 80.00 To the post cor of sec. 16. 17. 20 & 21.

North Return Sec. 16. 17 T. N. J. N. R. 7th.
 40.00 Set a 7th to post from which
 77 Oak. 20 in. diam. bears N 71 E. 50 hanks dist & a
 Hickory 22 " " " S 38 W. 16 " "
 80.00 Set a post for the cor of sec. 8. 9. 16 & 17 from which a
 Hickory 10 in diam. bears N 48 W. 7 hanks dist; & a
 Do. 12 " " " S 48 E. 5 1/2 " "
 Same as last one the timber same.

East On a random line between Sec. 9 & 16. T. N. J. N. R. 7th.
 40.00 Set a trip. post for the cor of 7th to post.
 73.00 To a Brook. 10 miles wide, comes S.
 80.20 Enter cut the N & S line 20 miles South of the post

D. No. 7. N.R. No. 7. N. 2nd. Min. Ind.

Post cor of lat. 9.10.15 & 16.

Lands rolling and very brushy Timber same.

West Out the line mine between lat 7. & 16. T. 7. N.R. 7 W.
 40.10 Set the trip. 1/4 2 feet at av. dist. on the line from
 which a 11 Oak. 20 in. diam. bears West 67 miles with
 80.20 To the post cor of lat. 8.9.16 & 17.

North Return lat. 8 & 9 T. 7. N.R. 7 W.
 40.00 Set a 1/4 2 feet from which is
 13 Oak. 29 in. diam. bears 48 N 40 miles with; 8
 do. 24 " " " 34 E 68 " "
 80.00 Set a post for the av. off lat 4.5.8 & 9 from which a
 Heats 10 in. diam. bears N 10 E 32 miles with; 4
 do. 10 " " " 49 E 36 " "
 Lands very brushy Timber Oak & Heats

East On a Ranam mine between lat. 4. & 9 T. 7. N.R. 7 W.
 40.00 Set a trip. 1/4 2 feet
 80.00 Enter lat the N.R. mine 20 miles South of the Post cor of
 lat. 3.4.9 & 10.
 Lands very brushy Timber Oak & Heats

West Out the line mine between lat. 4. & 9 T. 7. N.R. 7 W.
 40.00 Set the trip. 1/4 2 feet at the av. dist. on the line
 from which a Heats 10 in. diam. bears 34 E 36 miles with;
 and a 13 Oak. 20 in. " " 32 N 42 " "
 80.00 To the post cor of lat. 4.5.8 & 9.

North Return lat. 4. to 5 T. 7. N.R. 7 W.
 40.00 Set a 1/4 2 feet. from which is
 Heats 12 in. diam. bears N 5 W. 14 miles with; 8
 13 Oak. 29 " " " 12 E 57 " "

T. N. of N.R. No. of W. 2nd (New. Ind.)

North Return Lat. 7. 18. 7. N.R. 7W
 40.00 Set a 1/4 support from which
 13. Oak. 26 in. diam. base. N 6 E. 31 links north; V as
 47 Oak. 18 " " N 34 W 31 " "
 57.25 To N Oak. 12 in. diam. in the line.
 80.00 Set a post for the cor of lat. 7. 8. 17. 18 from which
 47 Oak. 20 in. diam. base. N 10 E. 49 links north; V as
 20. 12 " " " N 18 E. 38 " "
 Same as the same.

East Return Lat. 8 17. 7. N.R. 7W. On a Random line
 15.00 To prairie
 40.00 Set a temporary 1/4 support
 40.50 To a Brook 10 links north. Come S.
 61.00 To timbered land.
 80.10 Enter east the N 13 line 8 links north of the post cor.
 of lat. 8. 9. 16 17.
 Same as the same.

West On the true line Return Lat. 8 17. 7. N.R. 7W
 40.05 Set the 1/4 support at the ar ditch on the true line
 80.10 To the post cor of lat. 7. 8. 17. 18.

West Return Lat. 7. 18. 7. N.R. 7W
 40.00 Set a 1/4 support from which
 Height 10 in diam. base. N 35 W 118 links north.
 79.50 Enter east the West. Boundary 10 links north of the post
 cor of lat. 12 13. 7. N.R. 8 W. and set a post for the
 " " " 7 18 from which
 Height 12 in diam. base. N 5 E. 38 links north; V as
 20. 10 " " " N 34 W. 20 " "
 Same as the same.

North Return Sul 7 & 8. T. N. 7. N.R. 7 W.
40.00 Set the 1/4 section from which
Hick 10 in air. trees. 26 E. 46 miles north; 4th
T. 26. 36 " " N 26 W. 28 " "

80.00 Set apart for the cor of sw. 5, 6, 7 & 8. from which
Hick 12 in air. trees. 26 E. 52 miles north; 4th
26. 12 " " " N 17 E. 26 " "
Lands like and timber same as last note.

East Cap Random line between Sul 5 & 8. T. N. 7. N.R. 7 W.
40.00 Set a temp 1/4 section.
61.00 To a Brook 10 miles north, corner S.
80.12 Intersect the N 7 S line 10 miles north of the post cor of
sw. 4, 5, 8 & 9.
Lands the same as last note.

West On the new line between Sul 5 & 8. T. N. 7. N.R. 7 W.
40.00 Set the temp 1/4 section at the air arch on the new line
from which. 77 Oak. 30 in air. trees. 26 E. 40 miles north
under a 43 Oak 20 " " " N 26 W. 33 " "
80.12 To the post cor of sw 5, 6, 7 & 8.

West Return Sul 6 & 7. T. N. 7. N.R. 7 W.
19.50 To a Brook 10 miles north, corner S.
40.00 Set a 1/4 section from which
77 Oak. 20 in air. trees. 30 W. 50 miles north; 4th
40. 24 " " " N 80 E. 95 " "
79.65 Intersect the West Boundary Cor of sw. 1 & 2. T. N.
N. 8 W. Lands rolling and very brushy.

North Return Sul 5 & 6. T. N. 7. N.R. 7 W.
40.00 Set a 1/4 section from which

T. N. 7. N. R. N. 7. 2nd Mer. Ind.

90.65 *Heck 12 in. diam. beam. 120 E. 43 links arch; 1/2*
He. 12 " " " 160 E. 12 " "
Intersect the N. Boundary 72 links West of the East
end of lat. 31 & 32 of 8 N. R. 7 N. and set a post for
" " 5 ft. from which
1/2 Oak. 24 in. diam. beam. 140 E. 29 links arch; 1/2
Heck 10 " " " " "
 Inside the same: Feb. 25. 1844

Surveyed by
 Arthur Henric Esq.

I certify that the foregoing Transcript of the field
 notes of Township N. 7. North of Range N. 7 West of
 the 2nd Mer. Ind. has been compared with the Original
 notes in this Office and found to be correct.

Engineer General's Office
 Cincinnati, Mo. 90. 1844

E. S. Seaine
 Sur. Gen.